

**NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE**

**C-900 BLUE WATER MAIN PIPE**

<b>COMPUTER #</b>	<b>DESCRIPTION</b>	
198-0050	4"x20' CL150 DR18 C-900 BLUE WATER PIPE	
198-0164	6"x20' CL150 DR18 C-900 BLUE WATER PIPE	
198-0278	8"x20' CL150 DR18 C-900 BLUE WATER PIPE	
198-0294	10"x20' CL150 DR18 C-900 BLUE WATER PIPE	
198-0308	12"x20' CL150 SR18 C-900 BLUE WATER PIPE	

PIPE IS PER FOOT PRICE



# northern pipe products inc.

100 percent of the PVC pipe produced by Northern Pipe Products Inc. is manufactured in the United States of America using PVC resin manufactured in the USA. The ingredients used in the PVC compounding of the resin are also made in the USA.




<b>COMPUTER #</b>	<b>DESCRIPTION</b>	
192-0740	L95-200 QUART PIPE LUBE	
192-0745	L95-201 GALLON PIPE LUBE	



**PVC AWWA C-900  
POTABLE WATER DISTRIBUTION PIPE  
Gasketed Pipe Specifications**

Northern Pipe Products PVC gasketed AWWA C-900 PVC water distribution pipe is manufactured with gasketed joints conforming to the specifications of ASTM D-3139. The gaskets are manufactured to conform to the requirements of ASTM F-477. The spigot ends are beveled and insertion depths are marked for correct installation. Northern Pipe Products employs the Rieber Gasket System. The Rieber joining system is a factory made "locked-in" flexible elastomeric seal. The gasket is installed in the bell race during the manufacture of the joint. It should not be removed for any reason, as destruction of the joint will occur.




**LOCKED-IN GASKET JOINT**

Pipe Size Inches	Dimensions in Inches				
	A	B	C	D	E
4	6.50	1.500	1.125	6.000	5.000
6	9.00	1.750	1.250	6.500	5.500
8	11.50	2.000	1.500	7.500	6.500
10	14.00	2.500	1.750	8.750	7.750
12	16.50	3.000	1.875	9.750	8.750




**CAST IRON MECHANICAL JOINT FITTINGS**


COMPUTER #	DESCRIPTION	
<b>90° ELL</b>		
181-0275	DMB490 4" COMPACT DI MJ 90° ELL	
181-0300	DMB690 6" COMPACT DI MJ 90° ELL	
181-0305	DMB890 8" COMPACT DI MJ 90° ELL	
181-0328	DMB1290 12" COMPACT DI MJ 90° ELL	
<b>45° ELL</b>		
181-0602	DMB445 4" COMPACT DI MJ 45° ELL	
181-0627	DMB645 6" COMPACT DI MJ 45° ELL	
181-0635	DMB845 8" COMPACT DI MJ 45° ELL	
181-0651	DMB1245 12" COMPACT DI MJ 45° ELL	
<b>22-1/2° ELL</b>		
181-0967	DMB422 4" COMPACT DI MJ 22-1/2° ELL	
181-0975	DMB622 6" COMPACT DI MJ 22-1/2° ELL	
181-0983	DMB822 8" COMPACT DI MJ 22-1/2° ELL	
181-0991	DMB1022 10" COMPACT DI MJ 22-1/2° ELL	
181-1007	DMB1222 12" COMPACT DI MJ 22-1/2° ELL	
<b>11-1/4° ELL</b>		
181-1207	DMB411 4" COMPACT DI MJ 11-1/4° ELL	
181-1209	DMB611 6" COMPACT DI MJ 11-1/4° ELL	
181-1210	DMB811 8" COMPACT DI MJ 11-1/4° ELL	
<b>TEE'S</b>		
181-1565	DMT44 4" COMPACT DI MJ TEE	
181-1573	DMT66 6" COMPACT DI MJ TEE	
181-1581	DMT88 8" COMPACT DI MJ TEE	
181-1603	DMT1212 12" COMPACT DI MJ TEE	
<b>REDUCING TEE'S</b>		
181-1805	DMT64 6"x4" COMPACT DI MJ TEE	
181-1855	DMT84 8"x4" COMPACT DI MJ TEE	
181-1871	DMT86 8"x6" COMPACT DI MJ TEE	
181-1888	DMT126 12"x6" COMPACT DI MJ TEE	
181-1890	DMT128 12"x8" COMPACT DI MJ TEE	
<b>CROSS</b>		
181-2285	DMC66 6" COMPACT DI MJ CROSS	
181-2293	DMC88 8" COMPACT DI MJ CROSS	
181-2310	DMC1212 12" COMPACT DI MJ CROSS	
<b>REDUCING CROSS</b>		
181-2325	DMC86 8"x6" COMPACT DI MJ CROSS	
181-2350	DMC126 12"x6" COMPACT DI MJ CROSS	
<b>MJxMJ REDUCERS</b>		
181-2750	DMR43 4"x3" COMPACT DI MJ REDUCER	
181-2769	DMR64 6"x4" COMPACT DI MJ REDUCER	
181-2772	DMR84 8"x4" COMPACT DI MJ REDUCER	
181-2824	DMR86 8"x6" COMPACT DI MJ REDUCER	
181-2826	DMR128 12"x8" COMPACT DI MJ REDUCER	
181-2837	DMR126 12"x6" COMPACT DI MJ REDUCER	




MJ x MJ Bend 90




MJ x MJ Bend 45




MJ x MJ Bend 22-1/2




MJ x MJ Bend 11-1/4



MJ x MJ  
DMT



DMC



DMR






Quality – Service – Commitment – Delivered.



prices subject to change without notice

**CAST IRON MECHANICAL JOINT FITTINGS CONT.**

COMPUTER #	DESCRIPTION	
<b>LARGE END BELL REDUCER</b>		
181-2822	LPR86 8"x6" COMPACT DI MJ LARGE-END-BELL	
<b>SMALL END BELL REDUCERS</b>		
181-2823	SPR86 8"x6" COMPACT DI MJ SMALL-END-BELL	
181-2828	SPR128 12"x8" COMPACT DI MJ SMALL-END-BELL	
181-3123	SPR64 6"x4" COMPACT DI SMALL-END-BELL	
<b>FLANGExMJ</b>		
181-3607	MFA4 4" COMPACT DI MJxFLANGE ADAPTER	
181-3615	MFA6 6" COMPACT DI MJxFLANGE ADAPTER	
<b>SLEVE'S</b>		
181-3800	DMS4 4"x71/2" COMPACT DI MJ SLEVE	
181-3802	DML4 4"x12" COMPACT DI MJ SLEVE	
181-3805	DMS6 6"x71/2" COMPACT DI MJ SLEVE	
181-3807	DML6 6"x12" COMPACT DI MJ SLEVE	
181-3810	DMS8 8"x71/2" COMPACT DI MJ SLEVE	
181-3812	DML8 8"x12" COMPACT DI MJ SLEVE	
181-3825	DML12 12"x12" COMPACT DI MJ SLEVE	
<b>CUT-IN SLEVE'S</b>		
181-3850	DCL4 4" COMPACT CUT-IN SLEVE	
181-3854	DCL6 6" COMPACT CUT-IN SLEVE	
181-3856	DCL8 8" COMPACT CUT-IN SLEVE	
<b>PLUG'S</b>		
181-3900	DMP4 4" COMPACT DI MJ PLUG	
181-3905	DMP6 6" COMPACT DI MJ PLUG	
181-3910	DMP8 8" COMPACT DI MJ PLUG	
181-3911	DMP12 12" COMPACT DI MJ PLUG	
<b>CAP'S</b>		
181-3950	DMK4 4" COMPACT DI MJ CAP	
181-3955	DMK6 6" COMPACT DI MJ CAP	
181-3960	DMK8 8" COMPACT DI MJ CAP	
181-3962	DMK10 10" COMPACT DI MJ CAP	
181-3964	DMK12 12" COMPACT DI MJ CAP	
<b>ACCESSORY GLAND PACKS</b>		
181-8600	DGP4 4" COMPACT MJ ACCESSORY PACK	
181-8602	DGP6 6" COMPACT MJ ACCESSORY PACK	
181-8604	DGP8 8" COMPACT MJ ACCESSORY PACK	
181-8606	DGP10 10" COMPACT MJ ACCESSORY PACK	
181-8608	DGP12 12" COMPACT MJ ACCESSORY PACK	
<b>RESTRAINTS FOR DI PIPE</b>		
181-8640	SLDP4 4" MJR RESRTAINT GLAND PACK	
181-8642	SLDP6 6" MJR RESTRANT GLAND PACK	
181-8644	SLDP8 8" MJR RESTRAINT GLAND PACK	
181-8648	SLDP12 12" MJR RESTRAINT GLAND PACK	
<b>RESTRAINTS FOR C-900 PIPE</b>		
181-8660	SLCP4 4" C-900 RESTRAINT GLAND PACK	
181-8662	SLCP6 6" C-900 RESTRAINT GLAND PACK	
181-8664	SLCP8 8" C-900 RESTRAINT GLAND PACK	
181-8668	SLCP12 12" C-900 RESTRAINT GLAND PACK	



**Quality – Service – Commitment – Delivered.**

**NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE**

**INDUSTRIAL GATE VALVES**

COMPUTER #	DESCRIPTION	
<b>FLANGED x MJ</b>		
214-1806	A2360-16 4" FLANGExMJ GATE VALVE OPEN LEFT	
214-1814	A2360-16 6" FLANGExMJ GATE VALVE OPEN LEFT	
214-1721	A2360-16 8" FLANGExMJ GATE VLAVEOPEN LEFT	
<b>TAPPING</b>		
214-1824	T2360-16 4" RW TAPPING VALVE W/ACCESSORIES	
214-1826	T2360-16 6" RW TAPPING VALVE W/ACCESSORIES	
214-1828	T2360-16 8" RW TAPPING VALVE W/ACCESSORIES	
<b>MJ x MJ</b>		
214-1872	A2360-20 4" MJxMJ GATE VALVE OPEN-LEFT	
214-1880	A2360-20 6" MJxMJ GATE VALVE OPEN-LEFT	
214-1898	A2360-20 8" MJxMJ GATE VALVE OPEN-LEFT	
214-1902	A2360-20 10" MJxMJ GATE VALVE OPEN-LEFT	
214-1910	A2360-20 12" MJxMJ GATE VALVE OPEN-LEFT	
<b>CUT-IN</b>		
214-3730	C2360-45 4" RW CUT-IN VALVE W/ACCESSORIES	
214-3732	C2360-45 6" RW CUT-IN VALVE W/ACCESSORIES	
<b>FLANGED x FLANGED</b>		
214-3800	A2360-06 4" FLANGExFLANGE GATE VALVE OL	
214-3810	A2360-06 6" FLANGExFLANGE GATE VALVE OL	
214-3820	A2360-06 8" FLANGExFLANGE GATE VALVE OL	



A-2360-20



A-2360-6



A-2360-16



**NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE**

**FIRE HYDRANTS**

<b>COMPUTER #</b>	<b>DESCRIPTION</b>	
215-2280	A420 5' 2WAY 41/2"VO W/4" MJ INLET	
215-2456	A421 4' 3WAY 41/2"VO W/4" MJ INLET	
215-2460	A421 41/2' 3WAY 41/2"VO W/4" MJ INLET	
215-2570	A423 51/2' 3WAY 51/4"VO W/6" MJ INLET	
215-2626	A423 6' 3WAY 51/4"VO W/6" MJ INLET	
215-3240	A423 5' 3WAY 51/4"VO W/6" MJ INLET	



**When ordering parts, specify the following:**

1. Year date shown on hydrant barrel
2. Part number and name
3. Size and catalog number of hydrant
4. Direction of opening
5. Depth of bury
6. Bonnet markings
7. Type of inlet connection

<b>COMPUTER #</b>	<b>DESCRIPTION</b>	
215-3846	A300 41/2" FLANGE REPAIR KIT	
215-3862	A301 51/4" FLANG REPAIR KIT	

**Super Centurion 250™**

A-421 4-1/2" main valve opening three way (two hose nozzles and one pumper nozzle)

A-423 5-1/4" main valve opening three way (two hose nozzles and one pumper nozzle)

10 year limited warranty on material and workmanship

Meets all applicable parts of ANSI/AWWA C502 Standard

Post type dry barrel design

Dry top design with O-ring sealed oil reservoir

Traffic feature with stainless steel safety stem coupling

Field replaceable hose and pumper nozzles

250 psig (1723 kPa) maximum working pressure, 500 psig (3447 kPa) static test pressure for 3-way hydrants;

NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE

**INDUSTRIAL CAST IRON VALVE BOXES**

COMPUTER #	DESCRIPTION	
178-0650	VB266 51/4" CI VALVE BOX W/LID	
178-0748	VB2658 14" VALVE BOX EXTENSION	
178-0780	VB2659 18" VALVE BOX EXTENSION	
178-0828	VB2660 24" VALVE BOX EXTENSION	
178-0852	VB6302 30" VALVE BOX EXTENSION	
178-0844	VB2661X SCREW TOP SECTION	



Quality – Service – Commitment – Delivered.



SIGMA Municipal Construction Castings are manufactured under the same stringent quality norms and procedures that we use in the production of our extensive waterworks products, such as AWWA Fittings and Accessories, Pipe Restraint Products and various components supplied to many American waterworks distributors.

SREW TYPE	SPECIFICATIONS COMMON TO SREW TYPE & SLIP TYPE.					
	COMPLETE		TOP		BOTTOM	
ITEM #	HEIGHT RANGE	APPX. WT (LBS.)	LENGTH (T) (INCHES)	APPX. WT (LBS.)	LENGTH (B) (INCHES)	APPX. WT (LBS.)
<b>VB266</b>	39-59	99	26	59	36	41

**NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE**



**BRASS WATER SERVICE FITTINGS**

COMPUTER #	DESCRIPTION	
<b>STAINLESS STEEL STIFFNERS</b>		
207-9647	504281 3/4" SS INSERT STIFFNER	
207-9648	504385 1" SS INSERT STIFFNER	
207-9649	505142 1 1/4" SS INSERT STIFFNER	
207-9650	506139 1 1/2" SS INSERT STIFFNER	
207-9651	506141 2" SS INSERT STIFFNER	



COMPUTER #	DESCRIPTION	
<b>FIPxFIP CURB STOPS</b>		
209-6324	H10287 3/4" BRASS IPS CURB STOP	
209-6332	H10287 1" BRASS IPS CURB STOP	
209-6340	H10287 1 1/4" BRASS IPS CURB STOP	
209-6358	H10287 1 1/2" BRASS IPS CURB STOP	
209-6366	H10287 2" BRASS IPS CURB STOP	



COMPUTER #	DESCRIPTION	
<b>FIPxFIP CURB STOP AND DRAIN</b>		
209-6382	H10288 3/4" BRASS IPS STOP & DRAIN	
209-6390	H10288 1" BRASS IPS STOP & DRAIN	
209-6404	H10288N 1 1/4" BRASS IPS STOP & DRAIN (LLB)	
209-6412	H10288 1 1/2" BRASS IPS STOP & DRAIN	
209-6420	H10288 2" BRASS IPS STOP & DRAIN	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION CURB STOPS</b>		
210-6060	H15155 3/4" COMPRESION CURB STOP	
210-6078	H15155 1" COMPRESION CURB STOP	



COMPUTER #	DESCRIPTION	
<b>BALL TYPE COMPRESSION CURB STOPS</b>		
211-3295	B25155 3/4" BALL CURB STOP	
21-13296	B25155 1" BALL CURB STOP	
211-3300	B25155N 1 1/2" BRASS BALL CURB STOP (LLB)	
21-13302	B25155 2" BALL CURB STOP	



COMPUTER #	DESCRIPTION	
<b>COMPRESSIONxCC CORPORATION STOP</b>		
210-3694	H15008 3/4" CCxCOMP CORP STOP	
210-3708	H15008 1" CCxCOMP CORP STOP	
210-3888	H15013 1 1/2" CCxCOMP CORP STOP	
210-3896	H15013 2" CCxCOMP CORP STOP	



**NOTICE:** AFTER JULY 1st 2013 BRASS FITTINGS WILL BE PHASED OUT TO LOW LEAD

(LLB) = LOW LEAD BRASS

prices subject to change without notice



**BRASS WATER SERVICE FITTINGS CONT.**

COMPUTER #	DESCRIPTION	
<b>COMPRESSION UNIONS</b>		
210-9008	H15403 3/4" COMPRESSION UNION	
210-9016	H15403 1" COMPRESSION UNION	
210-9024	H15403 1 1/4" COMPRESSION UNION	
210-9032	H15403 1 1/2" COMPRESSION UNION	
210-9040	H15403 2" COMPRESSION UNION	
210-9050	H15403 1"x3/4" COMPRESSION UNION	
210-9054	H15403 1 1/4"x1" COMPRESSION UNION	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION TEES</b>		
210-8600	H15381 3/4" COMPRESSION TEE	
210-8604	H15381 3/4"x1" COMPRESSION TEE	
210-8608	H15381 1" COMPRESSION TEE	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION 90° ELL</b>		
211-1500	H15526 3/4" COMPRESSION 90° ELL	
211-1502	H15526 1" COMPRESSION 90° ELL	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION x THD 90° ELL</b>		
211-1780	H15531 1" COMPXMIP 90° ELL	
211-1810	H15533 1" COMPXFIP 90° ELL	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION x MIP ADAPTERS</b>		
210-9662	H15428 3/4" COMPxMIP ADAPTER	
210-9668	H15428 1"x3/4" COMPxMIP ADAPTER	
210-9670	H15428 1" COMPxMIP ADAPTER	
210-9688	H15428 1 1/4" COMPxMIP ADAPTER	
210-9696	H15428 1 1/2" COMPxMIP ADAPTER	
210-9700	H15428 2" COMPxMIP ADAPTER	



COMPUTER #	DESCRIPTION	
<b>COMPRESSION x FIP ADAPTERS</b>		
211-0192	H15451 3/4" COMPxFIP ADAPTER	
211-0206	H15451 1" COMPxFIP ADAPTER	
211-0217	H15451 1 1/4" COMPxFIP ADAPTER	
211-0222	H15451 1 1/2" COMPxFIP ADAPTER	
211-0230	H15451 2" COMPxFIP ADAPTER	
211-0248	H15451 3/4"x1" COMPxFIP ADAPTER	
211-0250	H15451 1"x3/4" COMPxFIP ADAPTER	



**NOTICE:** AFTER JULY 1st 2013 BRASS FITTINGS WILL BE PHASED OUT TO LOW LEAD

(LLB) = LOW LEAD BRASS

**BRASS WATER SERVICE FITTINGS CONT.**

COMPUTER #	DESCRIPTION	
<b>FEMALE FLARE x COMPRESSION</b>		
210-4859	H15071 1"x3/4" FEMALE FLARExCOMP	
210-4860	H15071 3/4"x1" FEMALE FLARExCOMP	
210-4861	H15071 3/4" COMPxFEM FLARE ADAPTER	
210-4862	H15071 1" COMPxFEM FLARE ADAPTER	
210-4863	H15071 1 1/4" COMPxFEM FLARE ADAPTER	
210-4864	H15071N 1 1/2" COMPxFIP FLARE ADAPTER (LLB)	
210-4865	H15071 2" COMPxFEM FLARE ADAPTER	



**BRASS DOUBLE STRAP SERVICE SADDLES**

COMPUTER #	DESCRIPTION	
212-8974	4"x1"cc BR2B0474CC100 BRASS SADDLE	
212-9208	6"x3/4"cc BR2B0684CC075 BRASS SADDLE	
212-9216	6"x1"cc BR2B0684CC100 BRASS SADDLE	
212-9388	8"x3/4"cc BR2B0899CC075 BRASS SADDLE	
212-9393	8"x1"cc BR2B0899CC100 BRASS SADDLE	



**NOTICE:** AFTER JULY 1st 2013 BRASS FITTINGS WILL BE PHASED OUT TO LOW LEAD

(LLB) = LOW LEAD BRASS

prices subject to change without notice

**CURB BOX'S**

COMPUTER #	DESCRIPTION	
209-7036	H10300-02 5' CURB BOX TAP 2", 11/4"US	
209-7298	H10302-05 5' CURB BOX TAP 2", 11/2"US	
209-7640	H10304-02 4' CURB BOX TAP 31/2"	
209-7746	H10304-02 5' CURB BOX TAP 31/2"	
209-8458	H10312-00 51/2' CURB BOX TAP 2" W/STAT ROD	
209-8692	H10314 5' CURB BOX ARCH PAT W/STAT ROD	

**PLASTIC CURB BOX'S**

COMPUTER #	DESCRIPTION	
206-0050	W21FK53AL PLASTIC CURB BOX W/MTN THREAD	
206-0060	W21FKAL PLASTIC CURB BOX ARCH PATTERN	

**CURB BOX ACCESSORYS**

COMPUTER #	DESCRIPTION	
209-3100	CURB BOX LID W/PLUG F/11/4 UPPER SECTION	
209-3120	CURB BOX LID W/PLUG F/11/2 UPPER SECTION	
209-8746	H10344 31/2"x2" CURB BOX ADAPTER	
209-9128	H10323 PENTAGON KEY	
210-1608	H10820 PENTAGON KEY	
209-9694	H10343 2"x11/2" CURB BOX BUSHING	

**SHUT OFF KEYS**

COMPUTER #	DESCRIPTION	
209-8908	H10321 5' SHUT OFF KEY	
209-8924	H10321 6' SHUT OFF KEY	
209-8982	H10322 2' SHUT OFF KEY	

**STAT RODS**

COMPUTER #	DESCRIPTION	
211-4746	82865 39" STAT ROD	
211-4788	82867 51" STAT ROD	
211-4800	82868 57" STAT ROD	
211-5170	84154 45" STAT ROD F/1-1/4" US	
211-5538	84353 45" STAT ROD F/1-1/2" US	



**REPAIR CLAMPS AND COUPLINGS**

COMPUTER #	DESCRIPTION	
212-6680	4"x7" 500-07-0474 REPAIR CLAMP 4.74-5.14	
212-6700	4"x12" 500-12-0474 REPAIR CLAMP 4.74-5.1	
212-6705	4"x12" 500-12-0445 REPAIR CLAMP 4.45-4.8	
212-6720	4"x15" 500-15-0474 REPAIR CLAMP 4.74-5.1	
212-6701	6"x7" 500-07-0684 REPAIR CLAMP 6.84-7.24	
212-6702	6"x10" 500-10-0655 REPAIR CLAMP 6.55-6.9	
212-6703	6"x12" 500-12-0684 REPAIR CLAMP 6.84-7.2	
212-6722	6"x15" 500-15-0684 REPAIR CLAMP 6.84-7.2	
212-6704	8"x12" 500-12-0899 REPAIR CLAMP 8.99-9.3	
212-6706	8"x15" 500-15-0899 REPAIR CLAMP 8.99-9.3	



*NOTE: Mueller Pipe Repair Clamps have demonstrated the ability to seal against water pressures commonly encountered in distribution systems. Smaller diameter clamps of a given design can seal against higher pressures than larger ones. In addition, the pressure that a clamp can contain is affected by the torque applied to the bolts, the uniformity of bolt tightening (when there is more than one bolt), as well as the type and extent of pipe damage, surface condition of the pipe and installation workmanship.*

COMPUTER #	DESCRIPTION	
222-5500	421-04460560-031 4" TOP BOLT COUPLING	
222-5510	42106560760-031 6" TOP BOLT COUPLING	
222-5520	421-08540985-031 8" TOP BOLT COUPLING	
COMPUTER #	DESCRIPTION	
222-6688	461-04460540-000 4" QUANTUM COUPLING	
222-6690	461-06540765-000 6" QUANTUM COUPLING	
222-6692	461-08540985-000 8" QUANTUM COUPLING	
222-6694	461-10651220-000 10" QUANTUM COUPLING	
222-6696	461-12751440-000 12" QUANTUM COUPLING	



**NORTHWEST PIPE FITTINGS, INC  
OF SCOTTSBLUFF, NE**

**200# COPPER TUBE SIZE POLY SERVICE PIPE**

COMPUTER #	DESCRIPTION	
162-0464	3/4"x100' 200# CTS PURECORE (SIDR 9)	
162-0510	3/4"x400' 200# CTS PURECORE (SIDR 9)	
162-0552	1"x100' 200# CTS PURECORE (SIDR 9)	
162-0578	1"x300' 200# CTS PURECORE (SIDR 9)	
162-0608	1 1/4"x100' 200# CTS PURECORE (SIDR 9)	
162-0640	1 1/2"x100' 200# CTS PURECORE (SIDR 9)	
162-0648	2"x100' 200# CTS PURECORE (SIDR 9)	

pipe is per foot price



200 PSI*	ASTM D2737	SDR9 CTS	Premium Grade				
		1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
O.D.		.625"	.875"	1.125"	1.375"	1.625"	2.125"
I.D.		.487"	.681"	.875"	1.069"	1.263"	1.653"
Wall		.069"	.097"	.125"	.153"	.181"	.236"
Wt/Ft		.053#	.103#	.170#	.254#	.353#	.602#
Coil Lengths		100-400 ft.	100-400 ft.	100-300 ft.	100-300 ft.	100-250 ft.	100-200 ft.

**NSE**

*CenCore HDPE is tested and certified to NSF Standard 14 and meets requirements of AWWA C901  
§ CenCore HDPE is certified to the Uniform Plumbing Code™*

*Product also Certified to NSF/ANSI Standard 61, Annex G (weighted average lead content of <=0.25%) and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953).*

**CERTIFICATION:** Centennial Plastics certifies that CenCore polyethylene pipe meets the specifications and requirements stated here.  
All Centennial Plastics' products are manufactured in Hastings, Nebraska, USA

**WARRANTY:** CenCore polyethylene pipe comes with a limited non prorated warranty of 50 years.